

# sprint

Family of Products



**Total Quality  
Systems Inc.**


1783 W. University #135  
Tempe, AZ 85281  
E-Mail [sales@tqscorp.com](mailto:sales@tqscorp.com)

Inside Sales/Office 480-377-6422  
Fax 480-377-6426  
Todd direct 602-228-3863


# Versatile Measurement Performance

## Productivity Made Simple


SprintMVP systems set the standard for fully automatic 3-axis measurement performance. Rugged granite construction, precision motorized stages and flexible zoom optics handle a wide range of measurement needs.




VectorLight™ programmable oblique illuminator highlights surface details from every angle.




Optional rotary indexers automatically index parts for complete measurement of all features.



Optional DRS laser and touch probe offer additional sensor capability for complex measurements.



QVI® Measure-Xi® - The world's most popular metrology software, is standard on all SprintMVP systems.



## SprintMVP Benchtop Systems

SprintMVP benchtop models deliver high productivity on the workbench. With a full range of sensor options, fully automatic operation and powerful software, SprintMVP systems quickly add value to any manufacturing process.



Stage Travel (X,Y,Z)		Standard	Optional
	Model		
	300	200 x 150 x 150 mm	
	250	300 x 150 x 150 mm	
	300	300 x 300 x 150 mm	
Stage Drive System		Precision motorized XYZ stages with 3-axis joystick control	
Imaging Optics		Motorized 5.5:1 zoom lens system	Optional add-on lenses: 0.5X, 0.75X, 1.0X and 2.0X
Field of View		Low Magnification: 9.1 mm (diagonal) High Magnification: 0.6 mm (diagonal)*	
Metrology Camera		Digital megapixel color camera	
Illumination		All LED illumination, including backlight, square-on surface light and VectorLight™ program mable 2-sector ring light	Full LED VectorLight with 8 sectors
Sensors			DRS laser, TP20 touch probe

\*Field of view size at high optical / high digital magnification

## SprintMVP Large Capacity Systems

SprintMVP large capacity floor stand models extend measurement capability to large parts or large batches of smaller parts. SprintMVP floor models feature heavy-duty construction and stable materials for use in harsh shop-floor conditions.



Stage Travel (X,Y,Z)		Standard	Optional
	Model		
	400	450 x 450 x 150	450 x 450 x 300
	624	625 x 625 x 200 mm	
	1500	800 x 1500 x 200 mm	800 x 2000 x 200 mm
	1550	1250 x 1500 x 200 mm	1250 x 2000 x 200 mm
	1552	1500 x 1500 x 200 mm	1500 x 2000 x 200 mm
Stage Drive System		Precision motorized XYZ stages with 3-axis joystick control	SprintMVP 624 - dual Y-axis drives and scales
Imaging Optics		Motorized 5.5:1 zoom lens system	Optional add-on lenses: 0.5X, 0.75X, 1.0X and 2.0X
Field of View		Low Magnification: 9.1 mm (diagonal) High Magnification: 0.6 mm (diagonal)*	
Metrology Camera		Digital megapixel color camera	
Illumination		All LED illumination, including backlight, square-on surface light and VectorLight™ program mable 2-sector ring light	Full LED VectorLight with 8 sectors
Sensors			DRS laser, TP20 touch probe

\*Field of view size at high optical / high digital magnification



## QUALITY VISION INTERNATIONAL – Precision for People®

Quality Vision International (QVI®) is the world's largest vision metrology company. Founded in 1945, QVI is the world leader in optical, electronic and software technologies for vision and multisensor measuring systems.

Precision for People is more than just our slogan. It's our commitment to delivering our worldwide customers precision metrology systems, designed with the people who use them in mind. Precision for People - it's what we stand for.

