

PRECISION GRANITE®

WHEN YOU WANT THE BEST
www.precisiongraniteusa.com
PO Box 427 Whittier, CA 90608
(562) 696-8328 FAX (562) 946-4336
ISO 17025 ACCREDITED
ISO 9001 CERTIFIED

PRECISION GRANITE® USA

has been providing precision granite metrology products to companies worldwide including many government facilities since 1984.

PRECISION GRANITE® USA

is proudly certified to ISO 9001 and is accredited by the prestigious A2LA body to ISO/IEC 17025 and meets requirements of ANSI/NCSL Z540-1.

PRECISION GRANITE® SURFACE PLATES

are made of black granite which is stronger and denser than light colored granite, is more stable, and wears longer. The granite properties determine the stiffness of the granite therefore accuracies can be guaranteed with less thickness than other types of granite. This translates to less freight and handling costs whenever the plate is shipped or moved. Our standard sizes are on our price lists. We have capabilities to manufacture almost any size requested.

PRECISION GRANITE® USA

surface plates are manufactured to meet or exceed the tolerances specified by Federal Specification GGG-P-463c and ASME B89.3.7-2013 guaranteeing both overall surface flatness and repeat gage measurement accuracy.

PRECISION GRANITE® USA

accuracies are ensured by using test equipment calibrated and traceable to N.I.S.T. and/or other national or international calibration standards.

PRECISION GRANITE® USA

standard "Calibration Certificate" is included with granite plates and accessories. ISO/IEC 17025 accredited calibration certificates are available on request.

With **PRECISION GRANITE® USA**

you can depend on excellent quality, high accuracies, and quick delivery.

The only granite manufactured in the USA with the
PRECISION GRANITE® trademark.

BLACK GRANITE SURFACE PLATES

ASME B89.3.7-2013 Fed Spec GGG-P-463c
Plates smaller than 12" x 18" made to Manufacturer's Spec

TRACEABLE TO NIST
or equivalent natl or intl organization

TWO ACCURACY CERTIFICATION INCLUDED
ISO 17025 accredited cert available at extra charge

PRECISION GRANITE®
WHEN YOU WANT THE BEST
www.precisiongraniteusa.com
PO Box 427 Whittier, CA 90608
(562) 696-8328 FAX (562) 946-4336
ISO 17025 ACCREDITED
ISO 9001 CERTIFIED



0-LEDGE



2-LEDGE



4-LEDGE

SURFACE PLATES AA GRADE (LABORATORY)

SIZE INCHES W x L x T	0-LEDGE		2-LEDGE		4-LEDGE		OVERALL ACCURACY	REPEAT READING	SHIP WT LB
	\$	Item#	\$	Item#	\$	Item#			
8 x 12 x 2	190.00	8x12x2-AA0		N/A		N/A	.000050"	.000035"	28
9 x 12 x 3	223.00	9x12x3-AA0		N/A		N/A	.000050"	.000035"	40
12 x 12 x 3	255.00	12x12x3-AA0		N/A		N/A	.000050"	.000035"	54
12 x 18 x 3	315.00	12x18x3-AA0	367.00	12x18x3-AA2	420.00	12x18x3-AA4	.000050"	.000035"	81
18 x 18 x 4	539.00	18x18x4-AA0	622.00	18x18x4-AA2	699.00	18x18x4-AA4	.000050"	.000035"	156
18 x 24 x 4	662.00	18x24x4-AA0	727.00	18x24x4-AA2	833.00	18x24x4-AA4	.000075"	.000035"	208
24 x 24 x 4	901.00	24x24x4-AA0	970.00	24x24x4-AA2	1,042.00	24x24x4-AA4	.000075"	.000045"	278
24 x 36 x 6	1,350.00	24x36x6-AA0	1,455.00	24x36x6-AA2	1,592.00	24x36x6-AA4	.0001"	.000045"	601
24 x 48 x 6	1,865.00	24x48x6-AA0	1,984.00	24x48x6-AA2	2,263.00	24x48x6-AA4	.000150"	.000045"	802
30 x 48 x 6	2,363.00	30x48x6-AA0	2,535.00	30x48x6-AA2	2,676.00	30x48x6-AA4	.000175"	.000045"	1,002
36 x 36 x 6	1,971.00	36x36x6-AA0	2,167.00	36x36x6-AA2	2,375.00	36x36x6-AA4	.000150"	.000045"	902
36 x 48 x 6	2,757.00	36x48x6-AA0	2,932.00	36x48x6-AA2	3,308.00	36x48x6-AA4	.0002"	.000045"	1,203
36 x 60 x 8	3,448.00	36x60x8-AA0	3,724.00	36x60x8-AA2	4,134.00	36x60x8-AA4	.000250"	.000060"	1,966
36 x 72 x 10	4,236.00	36x72x10-AA0	4,648.00	36x72x10-AA2	5,167.00	36x72x10-AA4	.0003"	.000060"	2,914
48 x 48 x 8	3,937.00	48x48x8-AA0	4,125.00	48x48x8-AA2	4,429.00	48x48x8-AA4	.0002"	.000060"	2,097
48 x 60 x 8	4,480.00	48x60x8-AA0	4,991.00	48x60x8-AA2	5,338.00	48x60x8-AA4	.0003"	.000060"	2,621
48 x 72 x 10	5,302.00	48x72x10-AA0	5,614.00	48x72x10-AA2	6,025.00	48x72x10-AA4	.000350"	.000060"	3,885
48 x 96 x 12	8,867.00	48x96x12-AA0	9,077.00	48x96x12-AA2	9,506.00	48x96x12-AA4	.0005"	.000075"	5,920

SURFACE PLATES A GRADE (INSPECTION)

SIZE INCHES W x L x T	0-LEDGE		2-LEDGE		4-LEDGE		OVERALL ACCURACY	REPEAT READING	SHIP WT LB
	\$	Item#	\$	Item#	\$	Item#			
8 x 12 x 2	151.00	8x12x2-A0		N/A		N/A	.0001"	.000060"	28
9 x 12 x 3	183.00	9x12x3-A0		N/A		N/A	.0001"	.000060"	40
12 x 12 x 3	211.00	12x12x3-A0		N/A		N/A	.0001"	.000060"	54
12 x 18 x 3	266.00	12x18x3-A0	315.00	12x18x3-A2	367.00	12x18x3-A4	.0001"	.000060"	81
18 x 18 x 3	423.00	18x18x3-A0	476.00	18x18x3-A2	593.00	18x18x3-A4	.0001"	.000060"	121
18 x 24 x 3	504.00	18x24x3-A0	557.00	18x24x3-A2	606.00	18x24x3-A4	.000150"	.000060"	162
24 x 24 x 3	697.00	24x24x3-A0	791.00	24x24x3-A2	901.00	24x24x3-A4	.000150"	.000070"	216
24 x 36 x 4	956.00	24x36x4-A0	1,066.00	24x36x4-A2	1,206.00	24x36x4-A4	.0002"	.000070"	416
24 x 48 x 6	1,521.00	24x48x6-A0	1,638.00	24x48x6-A2	1,832.00	24x48x6-A4	.0003"	.000070"	802
30 x 48 x 6	1,913.00	30x48x6-A0	2,081.00	30x48x6-A2	2,225.00	30x48x6-A4	.000350"	.000070"	1,002
36 x 36 x 6	1,627.00	36x36x6-A0	1,822.00	36x36x6-A2	1,934.00	36x36x6-A4	.0003"	.000070"	902
36 x 48 x 6	2,207.00	36x48x6-A0	2,362.00	36x48x6-A2	2,568.00	36x48x6-A4	.0004"	.000070"	1,203
36 x 60 x 6	2,863.00	36x60x6-A0	3,034.00	36x60x6-A2	3,344.00	36x60x6-A4	.0005"	.000080"	1,503
36 x 72 x 8	3,724.00	36x72x8-A0	3,997.00	36x72x8-A2	4,480.00	36x72x8-A4	.0006"	.000080"	2,359
48 x 48 x 6	3,006.00	48x48x6-A0	3,192.00	48x48x6-A2	3,496.00	48x48x6-A4	.0004"	.000080"	1,603
48 x 60 x 6	3,961.00	48x60x6-A0	4,304.00	48x60x6-A2	4,669.00	48x60x6-A4	.0006"	.000080"	2,004
48 x 72 x 8	4,410.00	48x72x8-A0	4,719.00	48x72x8-A2	5,167.00	48x72x8-A4	.0007"	.000080"	3,145
48 x 96 x 10	7,716.00	48x96x10-A0	7,916.00	48x96x10-A2	8,314.00	48x96x10-A4	.001"	.0001"	4,933

Custom and Larger Sizes, Inserts, and Holes Quoted on Request

\$165.00 ORDER MINIMUM

EXPORT HANDLING FEE WILL APPLY FOR SHIPMENTS OUTSIDE OF USA

HEAT TREATED WOOD PACKAGING QUOTED ON REQUEST

MADE IN USA

BLACK GRANITE SURFACE PLATES

ASME B89.3.7-2013 Fed Spec GGG-P-463c
Plates smaller than 12" x 18" made to Manufacturer's Spec

TRACEABLE TO NIST
or equivalent natl or intl organization

TWO ACCURACY CERTIFICATION INCLUDED
ISO 17025 accredited cert available at extra charge

PRECISION GRANITE[®]
WHEN YOU WANT THE BEST
www.precisiongraniteusa.com
PO Box 427 Whittier, CA 90608
(562) 696-8328 FAX (562) 946-4336
ISO 17025 ACCREDITED
ISO 9001 CERTIFIED

SURFACE PLATES B GRADE (TOOLROOM)

SIZE INCHES W x L x T	0-LEDGE \$	Item#	2-LEDGE \$	Item#	4-LEDGE \$	Item#	OVERALL ACCURACY	REPEAT READING	SHIP WT LB
8 x 12 x 2	127.00	8x12x2-B0		N/A		N/A	.0002"	.000110"	28
9 x 12 x 3	150.00	9x12x3-B0		N/A		N/A	.0002"	.000110"	40
12 x 12 x 3	171.00	12x12x3-B0		N/A		N/A	.0002"	.000110"	54
12 x 18 x 3	219.00	12x18x3-B0	266.00	12x18x3-B2	315.00	12x18x3-B4	.0002"	.000110"	81
18 x 18 x 3	352.00	18x18x3-B0	410.00	18x18x3-B2	475.00	18x18x3-B4	.0002"	.000110"	121
18 x 24 x 3	367.00	18x24x3-B0	420.00	18x24x3-B2	489.00	18x24x3-B4	.0003"	.000110"	162
24 x 24 x 3	591.00	24x24x3-B0	641.00	24x24x3-B2	744.00	24x24x3-B4	.0003"	.000120"	216
24 x 36 x 4	800.00	24x36x4-B0	901.00	24x36x4-B2	1,042.00	24x36x4-B4	.0004"	.000120"	416
24 x 48 x 6	1,315.00	24x48x6-B0	1,469.00	24x48x6-B2	1,657.00	24x48x6-B4	.0006"	.000120"	802
30 x 48 x 6	1,607.00	30x48x6-B0	1,773.00	30x48x6-B2	1,920.00	30x48x6-B4	.0007"	.000120"	1,002
36 x 36 x 6	1,419.00	36x36x6-B0	1,651.00	36x36x6-B2	1,761.00	36x36x6-B4	.0006"	.000120"	902
36 x 48 x 6	1,800.00	36x48x6-B0	1,967.00	36x48x6-B2	2,172.00	36x48x6-B4	.0008"	.000120"	1,203
36 x 60 x 6	2,207.00	36x60x6-B0	2,384.00	36x60x6-B2	2,689.00	36x60x6-B4	.001"	.000160"	1,503
36 x 72 x 6	2,932.00	36x72x6-B0	3,173.00	36x72x6-B2	3,584.00	36x72x6-B4	.0012"	.000160"	1,804
48 x 48 x 6	2,355.00	48x48x6-B0	2,542.00	48x48x6-B2	2,846.00	48x48x6-B4	.0008"	.000160"	1,603
48 x 60 x 6	3,034.00	48x60x6-B0	3,382.00	48x60x6-B2	3,758.00	48x60x6-B4	.0012"	.000160"	2,004
48 x 72 x 6	3,791.00	48x72x6-B0	4,098.00	48x72x6-B2	4,480.00	48x72x6-B4	.0014"	.000160"	2,405
48 x 96 x 8	6,133.00	48x96x8-B0	6,289.00	48x96x8-B2	6,623.00	48x96x8-B4	.002"	.0002"	3,947

VINYL COVERS

SURFACE PLATE COVERS		
W x L	\$	Item#
12 x 18	122.00	12x18VC
18 x 18	126.00	18x18VC
18 x 24	128.00	18x24VC
24 x 24	134.00	24x24VC
24 x 36	137.00	24x36VC
24 x 36	137.00	24x36VC
24 x 48	148.00	24x48VC
30 x 48	150.00	30x48VC
36 x 36	149.00	36x36VC
36 x 48	151.00	36x48VC
36 x 60	155.00	36x60VC
36 x 72	161.00	36x72VC
48 x 48	159.00	48x48VC
48 x 60	170.00	48x60VC
48 x 72	177.00	48x72VC
48 x 96	263.00	48x96VC

STATE THICKNESS OF
PLATE WHEN ORDERING
COVERS
Standard color is black



STEEL SUPPORT STANDS

SIZE INCHES W x L	PLATE THICKNESS	STATIONARY STAND		CASTERED STAND with LOCKS		SHIP WT LB
		\$	Item#	\$	Item#	
12 x 18	up to 4"	571.00	12x18-MAX4SS	697.00	12x18-MAX4CSL	95
18 x 18	up to 4"	587.00	18x18-MAX4SS	749.00	18x18-MAX4CSL	95
18 x 24	up to 4"	601.00	18x24-MAX4SS	763.00	18x24-MAX4CSL	95
24 x 24	up to 4"	636.00	24x24-MAX4SS	785.00	24x24-MAX4CSL	100
24 x 36	up to 4"	742.00	24x36-MAX4SS	878.00	24x36-MAX4CSL	120
24 x 36	5" to 6"	798.00	24x36-MAX6SS	943.00	24x36-MAX6CSL	200
24 x 48	up to 6"	828.00	24x48-MAX6SS	1,008.00	24x48-MAX6CSL	200
30 x 48	up to 6"	864.00	30x48-MAX6SS	1,046.00	30x48-MAX6CSL	220
36 x 36	up to 6"	856.00	36x36-MAX6SS	1,032.00	36x36-MAX6CSL	210
36 x 48	up to 8"	878.00	36x48-MAX8SS	1,135.00	36x48-MAX8CSL	225
36 x 60	up to 8"	965.00	36x60-MAX8SS	1,226.00	36x60-MAX8CSL	245
36 x 72	up to 10"	1,056.00	36x72-MAX10SS	1,387.00	36x72-MAX10CSL	260
48 x 48	up to 8"	1,044.00	48x48-MAX8SS	1,341.00	48x48-MAX8CSL	250
48 x 60	up to 8"	1,119.00	48x60-MAX8SS	1,542.00	48x60-MAX8CSL	275
48 x 72	up to 10"	1,254.00	48x72-MAX10SS	1,696.00	48x72-MAX10CSL	380
48 x 96	up to 12"	1,555.00	48x96-MAX12SS	2,321.00	48x96-MAX12CSL	530

IF TALLER STAND IS REQUIRED ADD \$30.00 PER INCH OVER 36"
IF SHORTER STAND IS REQUIRED NO EXTRA CHARGE

STAND SPECIFICATION FORM #4501

Required when ordering a stand for a customer's existing plate

Prices valid on stands for PG brand plates only; others quoted on request.



PROTECTIVE CLEANER

#P-5396

1 Pint	\$27.00
Case of 12	\$322.00
Case = 15 lbs.	

PRECISION GRANITE®

WHEN YOU WANT THE BEST

www.precisiongraniteusa.com

PO Box 427 Whittier, CA 90608

(562) 696-8328 FAX (562) 946-4336

ISO 17025 ACCREDITED

ISO 9001 CERTIFIED

STEEL SUPPORT STANDS WITH A 3-POINT SUSPENSION



STATIONARY "BOX" DESIGN

To minimize plate sag and warp, three fixed support points are recommended by ASME B89.3.7-2013 and Fed Spec GGG-P-463c.

PRECISION surface plates are marked on the bottom of the plate to coincide with the supports on the top of the stand. Aligned with each other they uphold the accuracy of the plate.

PRECISION standard stands are manufactured to support the weight of the surface plate plus 50 pounds per square foot load.

Stands are made for each plate to meet a 36" working height unless specified otherwise.

We use a machinery gray paint to finish and protect the stand.

Powder coat paint finish or custom colors are available for an additional charge.



Our **Surface Plate Covers** are made of vinyl; durable on the outside, soft on the inside. Prices are on our Surface Plate price list. Standard color is **black**.

STATIONARY STANDS

include leveling bolts on the bottom of each leg.



STATIONARY "20%" DESIGN



CASTERED "BOX" DESIGN

CASTERED STANDS WITH LOCKING CASTERS

Our castered stand has two locking swivel and two rigid casters to allow the plate and stand to be easily rolled. The plate can be leveled with the bolts on the top of the stand.

STAND TYPES FOR STANDARD PLATES

Stationary	12" x 18" to 36" x 36"	Box design
Castered	12" x 18" to 36" x 36"	Box design
Stationary	30" x 48" or Larger	20% design
Castered	30" x 48" or Larger	Box design

*Add 20% to cost of stand not manufactured per standard spec.

Stands are custom orders. Please ask for our stand ordering form (4501) to facilitate manufacturing the best fit to your plate.

CUSTOM STANDS

Stands can be manufactured to your drawings and specifications. If you need assistance, please contact us.

PRECISION PROTECTIVE CLEANER



Penetrates the granite surface to loosen dirt, grime and residues. It leaves the surface clean, which cuts down wear on precision surfaces. Sold in pint size squeeze bottles.



PEDESTALS AND LEVELING JACKS

For maximum support on large plates, an economical solution is a pedestal and leveling jack system. The granite pedestals are custom made to meet the required working height. The adjustable wedge jack between the pedestal and plate provides for leveling.

STAND SPECIFICATION FORM

required only when ordering a stand for
customer's existing plate



STANDS FOR GRANITE SURFACE PLATES

BEFORE WE CAN PROCESS YOUR ORDER, WE MUST HAVE THE FOLLOWING INFORMATION:



STATIONARY



CASTERED
WITH LOCKS

STANDARD WORKING HEIGHT OF
THE STAND IS **36" OVERALL**

Measured from the
top of the plate to the floor

IF TALLER STAND IS REQUIRED,
ADD \$30.00 PER INCH OVER 36"

IF SHORTER STAND IS REQUIRED,
NO EXTRA CHARGE

DESIRED WORKING HEIGHT: _____ "

STANDS ARE CUSTOM ORDERS. THEY CANNOT BE RETURNED. PLEASE MEASURE CAREFULLY!



TYPE OF PLATE

0-LEDGE

LENGTH AND WIDTH OF TOP OF PLATE

X



2-LEDGE

TOTAL OVERALL THICKNESS OF PLATE



4-LEDGE

FOR PLATES WITH 2 OR 4 LEDGES,
LENGTH AND WIDTH OF BOTTOM OF PLATE

X

BRAND/MANUFACTURER OF PLATE*

*If brand/manufacturer is unknown, we will manufacture to industry standard.

NOTE: For Starrett Brand, state when manufactured: before year 2008 year 2008 or after

Add 20% to price of stand for all Starrett Brand Plates and stands not manufactured per standard spec

CUSTOMER NAME _____

PO NUMBER _____

ORDERED BY _____

SIGNED _____

PLEASE COMPLETE and SEND THIS FORM to:

PRECISION GRANITE at sales@precisiongraniteusa.com or fax 562-946-4336

BLACK GRANITE ACCESSORIES

Includes Calibration Certificate traceable to N.I.S.T.
or equivalent national or international organization
ISO 17025 accredited cert available at extra charge

All granite products made to manufacturer's spec
available in custom sizes and thickness,
with threaded inserts, with or without lightening holes.

PRECISION GRANITE®

WHEN YOU WANT THE BEST
www.precisiongraniteusa.com

PO Box 427 Whittier, CA 90608
(562) 696-8328 FAX (562) 946-4336

**ISO 17025 ACCREDITED
ISO 9001 CERTIFIED**

TRI-SQUARES


(ACCURACIES PER 6 INCHES)
PRICE EACH

Size L x H x W	LABORATORY Grade AA .000050"		INSPECTION Grade A .0001"	
	\$	Item#	\$	Item#
3-Face				
9 x 12 x 3	1,338.00	9X12X3AA3TS	1,117.00	9X12X3A3TS
9 x 18 x 3	1,560.00	9X18X3AA3TS	1,269.00	9X18X3A3TS
12 x 18 x 3	1,902.00	12X18X3AA3TS	1,444.00	12X18X3A3TS
18 x 24 x 3	3,355.00	18X24X3AA3TS	2,669.00	18X24X3A3TS
24 x 24 x 3	4,131.00	24X24X3AA3TS	3,355.00	24X24X3A3TS
24 x 36 x 3	4,527.00	24X36X3AA3TS	3,843.00	24X36X3A3TS
4-Face				
9 x 12 x 3	1,700.00	9X12X3AA4TS	1,419.00	9X12X3A4TS
9 x 18 x 3	1,928.00	9X18X3AA4TS	1,628.00	9X18X3A4TS
12 x 18 x 3	2,320.00	12X18X3AA4TS	1,918.00	12X18X3A4TS
18 x 24 x 3	3,824.00	18X24X3AA4TS	3,117.00	18X24X3A4TS
24 x 24 x 3	4,664.00	24X24X3AA4TS	3,854.00	24X24X3A4TS
24 x 36 x 3	5,174.00	24X36X3AA4TS	4,424.00	24X36X3A4TS

MASTER SQUARES


(ACCURACIES PER 6
INCHES)

Size L x H x W	LABORATORY Grade AA .000050"		INSPECTION Grade A .0001"	
	\$	Item#	\$	Item#
5-Face				
12 x 12 x 3	1,539.00	12X12X3AA5MS	1,242.00	12X12X3A5MS
14 x 14 x 3	1,911.00	14X14X3AA5MS	1,458.00	14X14X3A5MS
16 x 16 x 3	2,755.00	16X16X3AA5MS	2,231.00	16X16X3A5MS
18 x 18 x 3	3,247.00	18X18X3AA5MS	2,626.00	18X18X3A5MS
24 x 24 x 4	3,890.00	24X24X4AA5MS	3,310.00	24X24X4A5MS
6-Face				
12 x 12 x 3	1,938.00	12X12X3AA6MS	1,563.00	12X12X3A6MS
14 x 14 x 3	2,410.00	14X14X3AA6MS	1,838.00	14X14X3A6MS
16 x 16 x 3	3,471.00	16X16X3AA6MS	2,810.00	16X16X3A6MS
18 x 18 x 3	4,092.00	18X18X3AA6MS	3,310.00	18X18X3A6MS
24 x 24 x 4	4,902.00	24X24X4AA6MS	4,170.00	24X24X4A6MS




3-Face

One large face & two edges flat & square to each other with lightening holes



5-Face

One large face & four edges flat, square and parallel to each other, with lightening holes



6-Face

Two large faces & four edges flat, square and parallel to each other, with lightening holes

CASES AND CUSTOM ITEMS ARE NON-REFUNDABLE
EXPORT HANDLING FEE WILL APPLY FOR SHIPMENTS OUTSIDE OF USA
HEAT TREATED WOOD PACKAGING QUOTED ON REQUEST
ALL SIZES ARE IN INCHES – OTHER SIZES AVAILABLE ON REQUEST
PRICES SUBJECT TO CHANGE WITHOUT NOTICE

CASES FOR GRANITE ACCESSORIES

PRECISION GRANITE[®]
WHEN YOU WANT THE BEST
www.precisiongraniteusa.com
PO Box 427 Whittier, CA 90608
(562) 696-8328 FAX (562) 946-4336
ISO 17025 ACCREDITED
ISO 9001 CERTIFIED

CARRY/STORAGE CASES



CUSTOM CASES

- Designed for maximum protection of granite accessories
- Specifically made to fit each product
- Dust and water resistant
- Exterior- Fiberglass or ABS plastic laminate on plywood
- Reinforced aluminum and steel edges
- Custom foam interior
- Locking closures, if requested
- Color: Blue
- Prices available on request.

PELICAN CASE 1550 and 1600 case

- Watertight, crushproof and dustproof
- Open cell core with solid wall design – strong, lightweight
- Pressure Equalization Valve O-ring seal
- Comfortable rubber over-molded handle
- Stainless steel hardware
- 2 level Pick 'N' Pluck™ foam with convoluted lid foam
- Color: Black



PELICAN CASE 1560 rolling case

- Same features as above
- Including 2 wheels: strong polyurethane w/stainless steel bearings
- Retractable extension handle

Pelican Case Style	Item #	\$	External Size L x W x D	Wt.	Recommended for:	
Carry	1550	470.00	21" x 17" x 8"	12 lbs	Master Square	12" x 12" x 3"
					Tri-Square	9" x 12" x 3"
Carry	1600	556.00	24" x 19.5" x 9"	14 lbs	Master Square	14" x 14" x 3"
					Tri-Square	9" x 18" x 3" 12" x 18" x 3"
Rolling	1560	578.00	22" x 18" x 10.5"	20 lbs	Master Square	12" x 12" x 3"
						9" x 12" x 3"
					Tri-Square	9" x 18" x 3"
						12" x 18" x 3"

CASES AND CUSTOM ITEMS ARE NON-REFUNDABLE

EXPORT HANDLING FEE WILL APPLY FOR SHIPMENTS OUTSIDE OF USA

HEAT TREATED WOOD PACKAGING QUOTED ON REQUEST

ALL SIZES ARE IN INCHES – OTHER SIZES AVAILABLE ON REQUEST

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

BLACK GRANITE ACCESSORIES

Includes Calibration Certificate traceable to N.I.S.T.
or equivalent national or international organization
ISO 17025 accredited cert available at extra charge

All granite products made to manufacturer's spec
available in custom sizes and thickness,
with threaded inserts, with or without lightening holes

PARALLELS

Size W x H x L	LABORATORY Grade AA .000050"		INSPECTION Grade A .0001"	
	\$	Item#	\$	Item#
	2-Face		2-Face	
¾ x 1 x 6	333.00	.75X1X6AA2PL	294.00	.75X1X6A2PL
1 x 2 x 12	458.00	1X2X12AA2PL	393.00	1X2X12A2PL
1 ½ x 3 x 18	841.00	1.5X3X18AA2PL	718.00	1.5X3X18A2PL
1 ½ x 4 x 30	1,221.00	1.5X4X30AA2PL	1,017.00	1.5X4X30A2PL
	4-Face		4-Face	
¾ x 1 x 6	416.00	.75X1X6AA4PL	363.00	.75X1X6A4PL
1 x 2 x 12	544.00	1X2X12AA4PL	474.00	1X2X12A4PL
1 ½ x 3 x 18	1,070.00	1.5X3X18AA4PL	889.00	1.5X3X18A4PL
1 ½ x 4 x 30	1,779.00	1.5X4X30AA4PL	1,557.00	1.5X4X30A4PL

STRAIGHT EDGES

Size W x H x L	LABORATORY Grade AA .000050"		INSPECTION Grade A .0001"	
	\$	Item#	\$	Item#
	1-Face		1-Face	
1 ½ x 4 x 24	614.00	1.5X4X24AASE	519.00	1.5X4X24ASE
1 ½ x 5 x 36	863.00	1.5X5X36AASE	712.00	1.5X5X36ASE
2 x 6 x 48	1,133.00	2X6X48AASE	1,028.00	2X6X48ASE
	2-Face		2-Face	
1 ½ x 4 x 24	829.00	1.5X4X24AA2SE	701.00	1.5X4X24A2SE
1 ½ x 5 x 36	1,163.00	1.5X5X36AA2SE	963.00	1.5X5X36A2SE
2 x 6 x 48	1,528.00	2X6X48AA2SE	1,390.00	2X6X48A2SE

VEE BLOCKS

Size W x H x L	LABORATORY Grade AA .0001"		INSPECTION Grade A .0002"	
	\$	Item#	\$	Item#
	V & Base		V & Base	
2 x 2 x 2 ½	870.00	2X2X2.5AAVBVB	783.00	2X2X2.5AVBVB
3 x 3 x 3	1,010.00	3X3X3AAVBVB	899.00	3X3X3AVBVB
4 x 4 x 4	1,150.00	4X4X4AAVBVB	984.00	4X4X4AVBVB
6 x 6 x 6	1,734.00	6X6X6AAVBVB	1,535.00	6X6X6AVBVB
	Universal		Universal	
2 x 2 x 2 ½	1,409.00	2X2X2.5AAUVB	1,150.00	2X2X2.5AUVB
3 x 3 x 3	1,529.00	3X3X3AAUVB	1,248.00	3X3X3AUVB
4 x 4 x 4	1,663.00	4X4X4AAUVB	1,483.00	4X4X4AUVB
6 x 6 x 6	2,403.00	6X6X6AAUVB	2,081.00	6X6X6AUVB

PRECISION GRANITE®

WHEN YOU WANT THE BEST


www.precisiongraniteusa.com

PO Box 427 Whittier, CA 90608

(562) 696-8328 FAX (562) 946-4336

ISO 17025 ACCREDITED

ISO 9001 CERTIFIED




2-Face

Two long narrow edges flat and parallel to each other

4-Face

Four long narrow and wide edges flat and parallel to each other




1-Face

Accuracy on one long narrow edge

2-Face

Two long narrow edges flat and parallel to each other



"V & Base"

90° Vee centered with and parallel to base

"Universal"

90° Vee centered with and parallel to bottom and two sides, and square to the ends

CASES AND CUSTOM ITEMS ARE NON-REFUNDABLE

EXPORT HANDLING FEE WILL APPLY FOR SHIPMENTS OUTSIDE OF USA

HEAT TREATED WOOD PACKAGING QUOTED ON REQUEST

ALL SIZES ARE IN INCHES – OTHER SIZES AVAILABLE ON REQUEST

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

BLACK GRANITE ACCESSORIES

Includes Calibration Certificate traceable to N.I.S.T.
or equivalent national or international organization
ISO 17025 accredited cert available at extra charge

All granite products made to manufacturer's spec
available in custom sizes and thickness,
with threaded inserts, with or without lightening holes

PRECISION GRANITE®

WHEN YOU WANT THE BEST
www.precisiongraniteusa.com

PO Box 427 Whittier, CA 90608
(562) 696-8328 FAX (562) 946-4336

**ISO 17025 ACCREDITED
ISO 9001 CERTIFIED**

STEP BLOCKS

1" x 2" x 3"	LABORATORY Grade AA	INSPECTION Grade A
Overall accuracy	.000050"	.0001"
Size accuracy within	±.0001"	±.00015"
	\$ Item#	\$ Item#
Matched Pair	891.00 123ASBPR	726.00 123ASBPR
Individual Block	535.00 123AASBEA	441.00 123ASBEA

ANGLE PLATES

(ACCURACIES PER 6 INCHES
PRICE EACH)

SIZE W x H x L	LABORATORY Grade AA .000050"		INSPECTION Grade A .0001"	
	\$	Item#	\$	Item#
2-Face				
4 x 4 x 4	416.00	4X4X4AA2AP	364.00	4X4X4A2AP
4½ x 6 x 6	457.00	4.5X6X6AA2AP	392.00	4.5X6X6A2AP
6 x 6 x 6	614.00	6X6X6AA2AP	519.00	6X6X6A2AP
6 x 9 x 12	1,221.00	6X9X12AA2AP	1,011.00	6X9X12A2AP
4-Face				
4 x 4 x 4	544.00	4X4X4AA4AP	457.00	4X4X4A4AP
4½ x 6 x 6	757.00	4.5X6X6AA4AP	632.00	4.5X6X6A4AP
6 x 6 x 6	801.00	6X6X6AA4AP	682.00	6X6X6A4AP
6 x 9 x 12	1,838.00	6X9X12AA4AP	1,500.00	6X9X12A4AP

2-Face

Bottom and adjacent square faces
finished flat and square to each other


4-Face

Same as 2-face, with adjacent sides
finished flat, square, and parallel


INSERTED ANGLE PLATES

(ACCURACIES PER 6 INCHES
PRICE EACH)


SIZE W x H x L	LABORATORY Grade AA .000050"		INSPECTION Grade A .0001"	
	\$	Item#	\$	Item#
2-Face				
4 x 4 x 4	1,221.00	4X4X4AA2IAP	1,090.00	4X4X4A2IAP
6 x 6 x 6	1,383.00	6X6X6AA2IAP	1,262.00	6X6X6A2IAP
6 x 9 x 12	4,005.00	6X9X12AA2IAP	3,064.00	6X9X12A2IAP
4-Face				
4 x 4 x 4	1,317.00	4X4X4AA4IAP	1,171.00	4X4X4A4IAP
6 x 6 x 6	1,746.00	6X6X6AA4IAP	1,599.00	6X6X6A4IAP
6 x 9 x 12	4,396.00	6X9X12AA4IAP	3,741.00	6X9X12A4IAP



Style for 6 x 6 x 6
or smaller



Style for 6 x 9 x 12
or larger



These angle plates have metal discs located
on both the main face and on one side for
magnetizing purposes. Threaded inserts for
clamping are located on the other main face.

CASES AND CUSTOM ITEMS ARE NON-REFUNDABLE

EXPORT HANDLING FEE WILL APPLY FOR SHIPMENTS OUTSIDE OF USA

HEAT TREATED WOOD PACKAGING QUOTED ON REQUEST

ALL SIZES ARE IN INCHES – OTHER SIZES AVAILABLE ON REQUEST

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

COMPARATOR STANDS

Includes Calibration Certificate traceable to N.I.S.T or equivalent national or international organization
ISO 17025 accredited cert available at extra charge

PRECISION GRANITE®

WHEN YOU WANT THE BEST

www.precisiongraniteusa.com
 PO Box 427 Whittier, CA 90608
 (562) 696-8328 FAX (562) 946-4336

ISO 17025 ACCREDITED
ISO 9001 CERTIFIED

BLACK GRANITE SURFACE PLATE BASE
 INCLUDES COLUMN & CLAMP WITH FINE ADJUSTMENT
Made to Manufacturer's Spec

COMPARATOR STAND WITH STANDARD 10" POST & CLAMP

Includes 1" or 1.250" dia. x 10" high column with **Standard** clamp

Approx. 2 1/2" throat clearance measured from column
 to center line of indicator stem

Standard Clamp with fine adjustment accepts all lug back AGD indicators
 For 8" x 12" or smaller – Maximum column height is 10"
 For 9" x 12" or larger – All column heights acceptable
 We stock 1" or 1.250" dia. x 10" high and 1.250" dia. x 18" high columns.
 For 18" columns, add \$200.00 to the list price.

STANDARD
 CLAMP
 FOR LUG BACK
 INDICATOR



COMPARATOR
 STAND
 "Standard
 Location"
rectangular plate

PLATE Size Inches	LABORATORY Grade AA			INSPECTION Grade A			TOOLROOM Grade B			SHIP WT LBS
	W x L x T	\$	Overall accuracy	Item#	\$	Overall accuracy	Item#	\$	Overall accuracy	Item#
6 x 6 x 2	525.00	.000050"	6X6X2ASTCS	468.00	.0001"	6X6X2ASTCS	433.00	.0002"	6X6X2BSTCS	18
8 x 12 x 2	540.00	.000050"	8X12X2ASTCS	483.00	.0001"	8X12X2ASTCS	451.00	.0002"	8X12X2BSTCS	35
9 x 12 x 3	648.00	.000050"	9X12X3ASTCS	582.00	.0001"	9X12X3ASTCS	504.00	.0002"	9X12X3BSTCS	50
12 x 18 x 2	703.00	.000050"	12X18X2ASTCS	627.00	.0001"	12X18X2ASTCS	554.00	.0002"	12X18X2BSTCS	63
18 x 24 x 3	1,154.00	.000075"	18X24X3ASTCS	990.00	.000150"	18X24X3ASTCS	793.00	.0003"	18X24X3BSTCS	167

COMPARATOR STAND WITH SPECIAL 10" POST & CLAMP

Includes 1.250" or 1.365" dia. x 10" high column with **Special** clamp

Approx. 4.75" throat clearance measured from column
 to center line of indicator stem

Special clamp with fine adjustment accepts stem drop indicators
 Special column not available for 8" x 12" or smaller
 We stock 1.250" or 1.365" dia. x 10" high and 1.250" dia. x 18" high columns.
 For 18" columns, add \$240.00 to the list price.


SPECIAL
 POST AND CLAMP
 ACCEPTS
 STEM DROP
 INDICATOR



PLATE Size Inches	LABORATORY Grade AA			INSPECTION Grade A			TOOLROOM Grade B			SHIP WT LBS
	W x L x T	\$	Overall accuracy	Item#	\$	Overall accuracy	Item#	\$	Overall accuracy	Item#
9 x 12 x 3	1,103.00	.000050"	9X12X3AASPCS	1,043.00	.0001"	9X12X3AASPCS	958.00	.0002"	9X12X3BSPCS	56
12 x 18 x 2	1,160.00	.000050"	12X18X2AASPCS	1,086.00	.0001"	12X18X2AASPCS	1,011.00	.0002"	12X18X2BSPCS	69
18 x 24 x 3	1,610.00	.000075"	18X24X3AASPCS	1,448.00	.000150"	18X24X3AASPCS	1,249.00	.0003"	18X24X3BSPCS	173

Mounting location for column must be specified when ordering

Note: "Standard" or Optional"



"Standard Location"
 for
 rectangular plates



"Optional Location"
 for
 rectangular plates



Square plates
 made with
 "Standard Location"

ABOVE ITEMS ARE NON-REFUNDABLE
 EXPORT HANDLING FEE WILL APPLY FOR SHIPMENTS OUTSIDE OF USA

HEAT TREATED WOOD PACKAGING QUOTED ON REQUEST

ALL SIZES ARE IN INCHES – OTHER SIZES AVAILABLE ON REQUEST

PRICES SUBJECT TO CHANGE WITHOUT NOTICE